Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10529620"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 13:37
L3	2	"5812531".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:57
L7	1	(remote with instruct\$4 with (switch\$4 or chang\$4) with wired). bsum.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:59
L8	10	(remote with instruct\$4 with (switch\$4 or chang\$4) with wired)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:59
L10	159	(instruct\$4 with (switch\$4 or chang\$4) with wired)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 15:59
L11	25	I10 and "370"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:18
L12	68086	(signal with (level or strength) with adjust\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2008/01/08 17:24
L13	2195	l12 and "370"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:19

L14	408	I13 and (wired and wireless)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2008/01/08 17:19
L15	33	(signal with (level or strength) with adjust\$4) same (wired and wireless)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	·ON	2008/01/08 17:19
L16	4	l15 and "370"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:19
L17	275	l14 and (@ad<="20021118" or @rlad<="20021118" or @ptad<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:20
L18	46	(signal same (level or strength) same adjust\$4 same wireless same wired same (smaller or bigger or less or greater or more))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:27
L19	4	l18 and "370"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:26
S1	4424	370/338.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:12
S2	2786	370/328.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14

			Т	1		
S3 .	2217	370/331.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14
S4	967	370/332.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14
S5	269	370/333.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14
S6	361	370/334.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14
S7	1888	370/400.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14
S8	6633	370/401.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:14
S9	17242	S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 13:15
S10	1166	(wired same wireless same ((changeover) or (change-over) or (change near4 over) or (chang\$7) or (switchover) or (switch near4 over) or (switch\$7))). ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 15:25

S11	71	S9 and S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 15:25
S12	45	S11 and (@ad<="20021118" or @rlad<="20021118" or @ptad<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/08 17:20
S13	3	S12 and bluetooth	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:18
S14	2681	(wired same wireless same ((changeover) or (change-over) or (change near4 over) or (chang\$7) or (switchover) or (switch near4 over) or (switch\$7))). bsum.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:12
S15	350	S9 and S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 15:25
S16	184	S15 and (@ad<="20021118" or @rlad<="20021118" or @ptad<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 15:26
S17	35	S16 and bluetooth	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 15:26
S18	4897	(wired with wireless with ((changeover) or (change near4 over) or (chang\$7) or (switchover) or (switch near4 over) or (switch\$7)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:13

			 	Г		T
S19	339	S18 and S9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 16:13
S20	153	S19 and (@ad<="20021118" or @rlad<="20021118" or @ptad<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:18
S21	1	(wired same wireless same ((chang\$7) or (switch\$7)) same between same threshold).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:15
S22	6	(wired same wireless same ((chang\$7) or (switch\$7)) same between same threshold).bsum.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:17
S23	303	(wired same wireless same ((chang\$7) or (switch\$7)) same between).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:17
S24	70	S23 and "370"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:18
S25	59	S24 and (@ad<="20021118" or @rlad<="20021118" or @ptad<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/07 17:18

1/8/2008 6:54:04 PM Page 5
C:\Documents and Settings\wkao\Desktop\Cases_Applications\Applications in progress\10529620_In Examination\prior art search_1st n

Serial No: 10/529620

Examiner: Wei-po Kao

Admitted Prior Art/Background of the Invention:

(Summary of what applicant has disclosed as to what has been previously done in the art)

bhretooth, wireless wired comm.

Applicant Identified Problem With the Prior Art:

to provide a procedure to establish a niveless link in a niveless hetake more smiftly.

	establish nived comm. I functionality before so the niveless comm.	and change-ar
	functionality before a	ritching toons
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	the mirelass comm.	
· ·		
	· · · · · · · · · · · · · · · · · · ·	
Notes:		
execution .		
, .		

Serial No:	
Examiner:	:
Claim Diagram:	

niveless connection and connection where the connection connection and connection connection connection connection connection connection connection and connection and connection and

and	sme uvale	es (ane	(8M(0047	or onag
sub d.	ass from 37	D		
	ch Strategy/Synony			
	With (Thanse-over		hang\$3 Switch\$3"	Switchaer" "Switc
	with wireless			
				•
RSPE Searc	ch Strategy/Synony or claim interpretation and/o	ms: or searching)		

Serial No:			,		
Examiner:					
Examiner R	ecommended Cl	assified Search	:		
				· · · · · · · · · · · · · · · · · · ·	
370/	331 , 350)	329,4	01,		
-				·	
					······································
SPE Recor	nmended Classi	fied Search:		·	
370/	338,400,401,	,331 , 332-334	1,328		
0.0					
			•		
	·				
RSPE Recor	mmended Classi	fied Search:	,		
					,
			•		